

**M.Sc. CHEMISTRY**  
**First Semester (Repeat)**  
**ANALYTICAL CHEMISTRY**  
**(MSC - 104)**

**Duration: 3Hrs.**

**Full Marks: 70**

Part-A (Objective) =20  
Part-B (Descriptive) =50

**(PART-B: Descriptive)**

**Duration: 2 hrs. 40 mins.**

**Marks: 50**

**Answer any four from Question no. 2 to 8**  
**Question no. 1 is compulsory.**

- (a) What do you understand by quantitative and qualitative analysis? Write briefly about gravimetric and volumetric analysis. (6)

(b) Write briefly about the decomposition and dissolution of the samples. (4)
- (a) Define equivalent mass of an oxidizing agent. (2)

(b) The value of  $\Delta G^{\circ}$  for the following reactions are given. (2)

Creatine phosphate +  $H_2O$   $\longrightarrow$  Creatine +  $P_i$ ;  $\Delta G^{\circ} = -43.5 \text{ kJmol}^{-1}$

$ADP + P_i \longrightarrow ATP + H_2O$ ;  $\Delta G^{\circ} = 39.8 \text{ kJmol}^{-1}$

Calculate the  $\Delta G^{\circ}_{\text{net}}$  for the following reaction-

Creatine phosphate +  $ADP \longrightarrow$  Creatine +  $ATP$

(c) Draw the TGA plot for hydrated calcium oxalate. (2)

(d) Calculate the results of the following expression: (2)

$(21.3 \pm 0.1)(17.6 \pm 0.02)$

(e) Write briefly about the classification of analytical methods. (2)
- (a) Two sets of results in mg/Lit; One obtained by a standard method and other by a new method are given below: (5)

Standard method:	30	25	22	23	35	31	33
New method:	25	26	28	30	24	28	22



Determine whether precision of new method differs significantly from that of standard method or not. The critical value of F for 7 degrees of freedom is 1.56.

- (b) Write three differences between accuracy and precision. (3)
- (c) What is confidence limit? Give mathematical expression for it. (2)
4. (a) What do you mean by a standard solution? Explain with example what a primary standard is and what a secondary standard is. (3)
- (b) Calculate the number of mmoles contained in 300 mg of an organic compound of molecular formula  $C_7H_6O_2$ . (2)
- (c) (i) Calculate the molar concentration of  $NO_3^-$  ion in a solution prepared by mixing 200 mL of 0.25 M  $KNO_3$  and 300 mL of 0.20 M  $Ca(NO_3)_2$  solution.  $[NO_3^- = 62 \text{ gmol}^{-1}]$  (3)
- (ii) What is the pc weight of Ag in 8.4g sample of AgCl of 80% purity? (Atomic mass of Ag=108g/mol) (2)
5. (a) How can you predict the following stages of a reaction by comparing the value of  $K_c$  and  $Q_c$  when- (3)
- (i) Net reaction proceed in forward direction.
- (ii) Net reaction proceed in backward direction.
- (iii) No net reaction occurs.
- (b) Match column I with column II. (5)

Column I	Column II
(i) Equilibrium	(a) $\Delta G > 0, K < 1$
(ii) Spontaneous	(b) $\Delta G = 0$
(iii) Nonspontaneous	(c) $\Delta G^{\circ} = 0$
	(d) $\Delta G < 0, K > 1$

- (c) Write the relationship between Solubility (S) and  $K_{SP}$  for the electrolyte  $Ca_3(PO_4)_2$ . (2)

6. (a) Explain the principle and instrumentation in Differential Thermal Analysis. (5)
- (b) Draw and explain the DTA curve for Sulphur. (5)
7. (a) Mention the instrumentation involved in Inductively Coupled Plasma – Atomic Emission Spectroscopy. (5)
- (b) (i) What will happen to the number of moles of  $SO_3$  in equilibrium with  $SO_2$  and  $O_2$  in each of the following cases in the reaction? (2+3=5)
- $$2SO_3(g) \rightleftharpoons 2SO_2(g) + O_2(g); \Delta H^{\circ} = 197 \text{ kJ}$$
- a. Oxygen gas is added.
- b. The pressure is increased by decreasing the volume of the reaction container.
- c. The temperature is decreased.
- d. Gaseous sulfur dioxide is removed.
- (ii) Mention the conditions required for getting favorable yield of ammonia in Haber process.
8. (a) An acidified solution of  $Fe^{+2}$  is titrated with 0.03 (M)  $KMnO_4$  solution. If the titration required 22.4 mL, how many mg of  $Fe^{+2}$  are in solution? (at mass of Fe = 55.8 g/mole) (3)
- (b) Calculate the normality of a  $Na_2CO_3$  solution containing 1.06 g  $Na_2CO_3$  in 200 ml. (2)
- (c) Write about determinate errors and indeterminate errors. (Including all classification) (5)

\*\*\*\*\*



**M.Sc. CHEMISTRY**  
**First Semester (Repeat)**  
**ANALYTICAL CHEMISTRY**  
**(MSC - 104)**

Duration: 20 minutes

Marks – 20

**(PART A - Objective Type)**

**I. Choose the correct answer:****1×20=20**

1. DSC measures physical properties of a sample change along with-

- (i) Concentration against absorbance
- (ii) Heat flow against temperature
- (iii) Temperature against time
- (iv) Pressure against volume

2. For the reaction:



The standard free energy change is greater than zero. The probable value of equilibrium constant for this reaction may be-

- (i)  $K=0$
- (ii)  $K>1$
- (iii)  $K<1$
- (iv)  $K=1$

3. The precision cannot be expressed by-

- (i) Average deviation from the mean
- (ii) Relative Standard deviation
- (iii) Standard deviation
- (iv) Absolute error

4. If molar mass of  $\text{K}_2\text{Cr}_2\text{O}_7$  is  $M \text{ gmol}^{-1}$ , its equivalent weight in acidic medium is-

- (i)  $M/6$
- (ii)  $M/3$
- (iii)  $M/5$
- (iv)  $M$

5. Median of the digits 2, 2, 3, 6, 5, 7, 10 is-

- (i) 5
- (ii) 6
- (iii) 7
- (iv) 10

6. In TGA instrument the sample is heated up to-

- (i)  $1500^\circ\text{C}$
- (ii)  $2000^\circ\text{C}$
- (iii)  $3500^\circ\text{C}$
- (iv)  $4000^\circ\text{C}$

7. In AAS the cathode lamp is filled with-

- (i)  $\text{CO}_2$
- (ii)  $\text{O}_2$
- (iii) Ne
- (iv)  $\text{SO}_2$

8. Normality of 1.72 g/L a solution of  $\text{Ba}(\text{OH})_2$ , [molar mass  $172 \text{ gmol}^{-1}$ ], is-

- (i) 0.01(N)
- (ii) 0.02(N)
- (iii) 0.2 (N)
- (iv) 0.1 (N)

9. Number of mmol in 29.8 mg of KCl, [mol mass  $74.5 \text{ gmol}^{-1}$ ], is-

- (i) 0.10
- (ii) 0.20
- (iii) 0.40
- (iv) 0.04


10. The ppm concentration of  $2.50 \times 10^{-4} \text{ M Mg}^{2+}$  [atomic mass  $24 \text{ gmol}^{-1}$ ], is-

- (i) 1.6
- (ii) 6.0
- (iii) 60.0
- (iv) 10.0

11. Identify the **INCORRECT** statement regarding chemical equilibrium.

- (i) All chemical reactions are, in principle, reversible.
- (ii) Equilibrium is achieved when the forward reaction rate equals the reverse reaction rate.
- (iii) Equilibrium is achieved when the concentration of species become constant.
- (iv) Equilibrium is achieved when the reaction quotient  $Q$  equals the equilibrium constant.

12. Consider the gas-phase equilibrium system represented by the equation:



Given that the forward reaction (the conversion of "left-hand" species to "right-hand" species) is **endothermic**, which of the following changes will **decrease** the equilibrium amount of  $\text{H}_2\text{O}$ ?

- (i) Adding more oxygen.
- (ii) Adding a solid phase catalyst.
- (iii) Decreasing the volume of the container (the total pressure increases).
- (iv) Increasing the temperature at constant pressure.

13. In which of the following reaction, the equilibrium remains unaffected on addition of small amount of small amount of argon at constant volume?

- (i)  $\text{H}_2(\text{g}) + \text{I}_2(\text{g}) \rightleftharpoons 2\text{HI}(\text{g})$
- (ii)  $\text{PCl}_5(\text{g}) \rightleftharpoons \text{PCl}_3(\text{g}) + \text{Cl}_2(\text{g})$
- (iii)  $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$
- (iv) The equilibrium will unaffected in all the three cases.

14. In ICP-AES the gas used to create the plasma-

- (i) Hydrogen
- (ii) Argon
- (iii) Krypton
- (iv) Neon

15. The determinate errors which cannot be corrected easily is-

- (i) Instrument error
- (ii) Method error
- (iii) Gross error
- (iv) Personal error

16. The range of the digits 2, 2, 3, 6, 5, 7, 10 is-

- (i) 8
- (ii) 6
- (iii) 10
- (iv) None of these

17. The expression which states the Beer law-

- (i)  $A = \epsilon cl$
- (ii)  $A = \epsilon/c l$
- (iii)  $A\epsilon = cl$
- (iv) None

18. For a sample interacting with radiation, the technique used is-

- (i) Conductometry
- (ii) Mass spectrometry
- (iii) UV-visible spectroscopy
- (iv) TGA

19. If Relative Standard deviation (RSD) is expressed in terms of per cent, then obtained RSD is called-

- (i) Coefficient of variation
- (ii) Absolute error
- (iii) Gross error
- (iv) None of these



20. Based on electrical properties of the samples, the techniques used are-
- (i) TGA, DTA
  - (ii) DTA, Mass Spectrometry
  - (iii) Conductivity, Potentiometry
  - (iv) Isotope analysis method

\*\*\*\*\*



University of Science and Technology, Meghalaya

Date Stamp: \_\_\_\_\_

SESSION 2016-17			
COURSE _____ PAPER CODE: _____			
NAME OF THE PAPER: _____			
SEMESTER _____			
<b>Instructions to Candidates</b>		Session: 2016-17	
<ol style="list-style-type: none"> <li>1. This answer booklet has 4 pages. Please check before writing whether it is complete or in good condition.</li> <li>2. Do not write your name anywhere in the answer booklet.</li> <li>3. Write legibly on both sides of the paper</li> <li>4. You may use some space for any rough notes or calculation on the answer booklet if you need. These rough notes, calculations must be scored out before submitting the answer booklet.</li> <li>5. Do not bring any book or loose paper in the examination hall.</li> <li>6. Do not tear any page from the answer booklet.</li> <li>7. Do not write anything on the question paper or blotting paper or any pieces of paper while you are in the examination hall.</li> <li>8. Any act of indiscipline or misbehavior in the examination hall will result in your expulsion.</li> <li>9. No examinee is allowed to leave the examination hall until 30 minutes lapse after the commencement of the examination.</li> <li>10. Additional answer sheet will be supplied after the main answer booklet is completed.</li> </ol>	<b>For Objective Type Questions</b>		
	Page No.	Marks	Course _____
			Roll No. _____
			Enrollment No. _____
			Semester _____
			Name of the Paper _____
			Paper Code _____
<b>For Descriptive Type Questions</b>			
Question No.	Marks		
Total			
<b>Grand Total</b>			

\_\_\_\_\_  
Scrutinizer's Signature

\_\_\_\_\_  
Examiner's Signature

\_\_\_\_\_  
Invigilator's Signature