

CONTENTS

PAGE NO.

ACKNOWLEDGEMENT

LIST OF ABBREVIATIONS

CHAPTER – 1	INTRODUCTION	1-9
CHAPTER – 2	REVIEW OF LITERATURE	
2.1	Overview of ericulture	10-12
2.2	Types and distribution of <i>Ailanthus</i> species	12-14
2.3	Biology of eri silkworm	14-17
2.4	Eri silkworm rearing on <i>Ailanthus</i> and other food plants	17-19
2.5	Use of <i>Ailanthus</i> in medicine & other industries	19-21
2.6	Primary and secondary metabolites in the food plants of eri silkworm	
2.6.1	Basic feature of primary and secondary metabolites of plants	21-30
2.6.2	Role of primary and secondary metabolites of eri silkworm food plants	30-36
2.7	Determination of chemical composition of silk gland and silk in relation to host plant	36-37
2.8	Quantitative consumption and utilization of food by eri silkworm	38-40
2.9	Studies on attracting /biting/ swallowing/ repellents in silkworms' nutrition	40-46

CHAPTER – 3 MATERIALS AND METHODS

3.1	Materials	47-48
3.2	Methods	
3.2.1	Test of attraction by eri silkworm <i>S. ricini</i> (Donovan) towards leaves of different host plants	48-49
3.2.2	Biochemical analysis of leaves of host plants	49
3.2.2.1	Preparation of leaf sample	49
3.2.2.2	Determination of carbohydrate content	50-51
3.2.2.3	Determination of total phenol content	51-52
3.2.2.4	Determination of chlorogenic acid content	52-53
3.2.2.5	Determination of crude fibre content	53-54
3.2.2.6	Determination of crude protein content	54-55
3.2.2.7	Determination of β -sitosterol content	55-56
3.2.2.8	Determination of tannin content	56-57
3.2.2.9	Determination of lignin content	57-58
3.2.2.10	Determination of trypsin inhibitor	58-60
3.2.2.11	Determination of phytic acid	60-61
3.2.2.12	Determination of crude fat	61-63

3.3 Rearing performance of eri silkworms on different host plants during different seasons	63
3.3.1 Eri silkworm rearing techniques	63-64
3.3.2 Treatments for experiment	65
3.3.3 Rearing Seasons of Eri Silkworms	65-66
3.3.4 Observation on the rearing, grainage and post-cocoon parameter	66
3.3.4.1 Indicators of rearing performance	66-68
3.3.4.2 Indicators of grainage performance	69
3.3.4.3 Indicators of post-cocoon parameters	70
3.3.5 Statistical analysis	70

CHAPTER – 4 RESULTS

4.1 Growth and biomass production of different food plants	71
4.2 Behaviour of eri silkworm in response to different host plants	71
4.3 Biochemical analysis of leaves of different host plants	71-74
4.3.1 Total carbohydrate content	75
4.3.2 Crude protein content:	75

4.3.3	Crude fibre content	76
4.3.4	Total phenol content	76
4.3.5	Tannin content	82
4.3.6	β -sitosterol content	82
4.3.7	Crude fat content	83
4.3.8	Chlorogenic acid content	83
4.3.9	Phytic acid content	90
4.3.10	Lignin content	90
4.3.11	Study on trypsin inhibitor activity of host plants	90-91
4.4.	Rearing performance of eri silkworms on different host plants during different seasons	96
4.4.1	Economic parameters of eri silkworm rearing	
4.4.1.1	Larval duration	96
4.4.1.2	Mature larval weight	96-97
4.4.1.3	Single cocoon weight	97
4.4.1.4	Single shell weight	103
4.4.1.5	Shell Ratio (%)	103
4.4.1.6	Cocoon yield per dfl	103-104

4.4.1.7	Effective rate of rearing (%)	104
4.4.1.8	Cocoon shell yield per 100 dfl	104
4.4.2	Grainage performance of eri silkworm	114
4.4.2.1	Moth emergence (%)	114
4.4.2.2	Cocoon: dfl ratio	114
4.4.2.3	Fecundity (Nos.)	114-115
4.4.2.4	Hatchability (%)	115
4.4.3	Assessment of post cocoon parameters	115
4.4.3.1	Boil off loss	115
4.4.3.2	Waste (%)	116
4.4.3.3	Spun silk recovery (%)	116
4.5	Field trial	124-128
CHAPTER – 5	DISCUSSION	129-141
CHAPTER – 6	SUMMARY AND CONCLUSION	142-146
	BIBLIOGRAPHY	147-165
	LIST OF PUBLICATIONS & AWARDS	166-173
	WEATHER AND GENERAL CLIMATIC CONDITIONS	174-175