


Chapter 6

References



Chapter 6

References

- Aneja KR, (2005). Experiments in Microbiology, Plant Pathology and Biotechnology. New Age International Publishes, New Delhi, India.
- Anselmo CR, (1964). Studies on staphylococcus aureus with reference to coagulase activity. A thesis submitted to the faculty of the University of Utah, Department of Microbiology.
- Archer GL, (1998). *Staphylococcus aureus*: A well-armed pathogen. *Clin. Infect. Dis.* 26:1179-1181.
- Ausubel FM, Brent R, Kingston RE, Moore DD, Seidman JG, Smith JA, and Struhl K, (1987). Current protocols in molecular biology, (ed): Greene Publishing Associates and Wiley-Interscience, Vol I, 4.1.2.
- Barber M and Wildy P, (1958). A Study of the Antigenic Specificity of Staphylococcal Coagulase in Relation to Bacteriophage Group. *J. Gen. Microbiol.* 18:92-106
- Bharadwaz M, Kalita M, Gogoi K., Dey T, Ozah D, Das R., Saikia I, and Unni BG, (2014). Preliminary Characterisation of blood coagulase protein from a *Staphylococcus* strain. *Int. J. Pharm. Pharm. Sci.* 6:151-155.
- Bioprocess automation. Helsinki University of Technology. 2007. (URL-<http://autsys.aalto.fi/en/Research/BioprocessAutomation>).
- Blair JE, (1962). What is a staphylococcus? *Bacteriol. Rev.* 26:375-381.
- Bode W and Huber R, (1976). Induction of the bovine trypsinogen-trypsin transition by peptides sequentially similar to the N-terminus of trypsin. *FEBS Lett.* 68:231–236.
- Bradford MM, (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72: 248–254
- Bryce LM and Roundtree PM, (1936). The production of toxin by staphylococci. *J. Path. Bact.* 43:1 73-189.

- Chandrakanth K, Virupakshaiah DBM, Gavimath CC, Udaykumar M, and Kangralkar VA, (2010). Comparative genomics of *staphylococcus aureus* coagulase gene. *J. Adv. Bioinfo. Res.* 1: 31 - 36.
- Chapman GH, Berens C, Peters A, and Curcio LG, (1934). Coagulase and hemolysin tests as measures of the pathogenicity of *staphylococci*. *J. Bact.* 28:343-363.
- Cheng AG, Mc Adow M, Kim HK, Bae T, Missiakas DM, and Schneewind O, (2010). Contribution of Coagulases towards *Staphylococcus aureus* Disease and Protective Immunity. Cheung A, ed. *PLoS Pathog.* 6:1-18.
- Christie R, North EA, and Parkin BJ, (1946). Criteria of pathogenicity in *staphylococci*. *Aust. J. Exp. Biol. Med. Sci.* 24:73-78.
- Compton SJ and Jones CG, (1985). Mechanism of dye response and interference in the Bradford protein assay. *Anal. Biochem.* 151:369–374.
- Cowan ST, (1938). The classification of staphylococci by precipitation and biological reactions. *J. Path. Bact.* 46:31-45.
- Cowan ST, (1939). Staphylococcal infection in rabbits: antibacterial and non-specific immunity. *J. Path. Bact.* 48:545-555.
- Cruickshank R, (1937). Staphylocoagulase. *J. Path. Bact.* 45: 295-306.
- Davies GE, (1951). Factors influencing the in vitro production of staphylococcal coagulase. *J. Gen. Microbiol.* 5: 687-697.
- Davis JA, Farrah SR, and Wilkie AC, (2006). Selective growth of *Staphylococcus aureus* from flushed dairy manure wastewater using acriflavine-supplemented mannitol salt agar. *Lett. Appl. Microbiol.* 42:606-611.
- Davison MM, Derow MA, and Walker BS, (1949). *Staphylococcal* hyaluronidase. *J. Bact.* 58:717-722.
- De La Fuente R, Suarez G, and Schleifer KH, (1985). *Staphylococcus aureus* subsp. *Anaerobius* subsp. nov., the causal agent of abscess disease of sheep. *Int. J. Syst. Bacteriol.* 35:99-102.
- Devriese LA, Hajek V, Oeding P, Meyer SA, and Schleifer KH, (1978). *Staphylococcus hyicus* (Sompolinsky 1953) comb. nov. and *Staphylococcus hyicus* subsp. *chromogenes* subsp. nov. *Int. J. Syst. Bacteriol.* 28:482–490.

- Di-Rocco FW and Fulton M, (1939). Notes on the coagulase reaction of *staphylococci*. *J. Bact.* 37:657-658.
- Duthie ES, (1954). Evidence for Two Forms of *Staphylococcal* Coagulase. *J. Gen. Microbiol.* 10:427-436.
- Elek SD and Levy E, (1950). Distribution of hemolysins in pathogenic and non-pathogenic *staphylococci*. *J. Pathol. Bacteriol.* 62:541-554.
- Elek SD and Levy E, (1954). The nature of discrepancies between hemolysins in culture filtrates and plate hemolysin patterns of *staphylococci*. *J. Path. Bact.* 68:31-40.
- Evans JB, Bradford WLJ, and Niven CF, (1955). Comments concerning the taxonomy of the genera *Micrococcus* and *Staphylococcus*. *Int. Bull. Bacteriol. Nomencl. Taxon.* 5:61-66.
- Fanger B, (1987). Adaptation of the Bradford protein assay to membrane-bound proteins by solubilizing in glucopyranoside detergents, *Anal. Biochem.* 162:11-17
- Farkas H, (1947). Comparative action of bromine and iodine on toxic enzymes of *Staphylococcus aureus* and *Streptococcus pyogenes*. *J. Bact.* 53:401-406.
- Fazekas de St Groth S, Webster RG, and Datyner A, (1963). Two new staining procedures for quantitative estimation of proteins on electrophoretic strips. *Biochim. Biophys. Acta.* 71:377-391.
- Fijoan M, (1935). A study on the blood-coagulating substance produced by *staphylococci* and its relation to disease. *Ganad. Med. Assoc. J.* 32:476-481.
- Fisher AM, (1936). The plasma coagulating properties of staphylococci. *Bull. Johns Hopkins Hosp.* 59:393-414.
- Foster G, Ross HM, Hutson RA, and Collins M.D, (1997). *Staphylococcus lutrae* sp. nov., a new coagulase-positive species isolated from otters. *Int. J. Syst. Bacteriol.* 47: 724-726.
- Friedrich R, Panizzi P, Prior PF, Richter K, Verhamme I, and Anderson PJ, (2003). Staphylocoagulase is a prototype for the mechanism of cofactor-induced zymogen activation. *Nature* 425:535-539.

- Gengou O, (1933). Contribution ' Eftude de l'action du staphylocoque sur le plasma oxalate et sur le fibrinog'ene. *Ann. Inst. Pasteur.* 51:14-31.
- Glenny AT and Stevens MF, (1935). Staphylococcus toxins and antitoxins. *J. Pathol. Bacteriol.* 40:201-210.
- Gonzenbach W von and Uemura, H (1916). Beitrag zur Gerinnung von Plasma durch Wirkung des Staphylococcus pyogenes aureus. *Zbl. Bakt. I. Abt. Orig.* 78:97-103.
- Gotz F, Bannerman T, and Schleifer K, (2006).The Genera *Staphylococcus* and *Macrococcus*. *Prokaryotes.* 4:5–75.
- Gratia A, (1920). La coagulation par le *Staphylocoque* du plasma phosphate. *Compt. Rend. Soc. De. boil.* 83:1221.
- Green AA and Hughes WL, (1955). Protein fractionation on the basis of solubility in aqueous solutions of salts and organic solvents; In Colowick SP and Kaplan N (ed.).*Methods in enzymology*, Academic Press, Inc., New York , vol. 1: 67-90.
- Gross H D, (1931) Kulturfiltratstoffe der *staphylokokken* und deren Beziehungen zueinander. *Ztsch. f. Immunitätsforschung u. Exper. Therap.* 73:14.
- Gross H, (1931). Der Plasmagerinnungsstoff der *Staphylokokken*. *Zbl. Bakt.* (1. Abt. Orig.) 122-354.
- Hájek V, (1976). *Staphylococcus intermedius*, a New Species Isolated from Animals. *Int. J. Syst. Bacteriol.* 26:401–408.
- Harris LG, Foster SJ, and Richards SG, (2002). An introduction to *Staphylococcus aureus*, and techniques for identifying and quantifying *S. aureus* adhesins in relation to adhesion to biomaterials: review. *European cells and materials.* 4:39–60.
- Hemker HC, Bas BM, and Muller AD, (1975) .Activation of a proenzyme by a stoichiometric reaction with another protein. The reaction between prothrombin and staphylocoagulase. *Biochim. Biophys. Acta.* 379:180–188.
- Hendrix H, Lindhout T, Mertens WK., Engels W, and Hemker HC, (1983). *J. Biol. Chem.* 258:3637-3644.

Hibbett DS, Binder M, Bischoff JF, Blackwell M, Cannon PF, and Eriksson OE, (2007). A higher level phylogenetic classification of the Fungi. *Mycol. Res.* 111:509–547.

<http://web.uvic.ca/~berryde/techniques/column%20chrom.pdf>.

<http://www.austincc.edu/microbugz/handouts/Catalase%20and%20Oxidase%20Tests.pdf>.

<http://www.harvardapparatus.com/guide> for gel filtration.pdf.

Hucker GJ and Conn HJ, (1923) Method of Gram staining. *N. Y. State. Agric. Exp. Stn. Tech. Bull.* 93:3–37.

Igimi S, Takahashi E, and Mitsuoka T, (1990). *Staphylococcus schleiferi* subsp. Coagulans subsp. nov., isolated from the external auditory meatus of dogs with external ear otitis. *Int. J. Syst. Bacteriol.* 40:409-411.

John E Blair, (1962) .What is a *Staphylococcus*? Laboratory Division, *Hospital for Joint Diseases*, New York, New York.

Kapral F A and Li I W, (1960). Virulence and coagulases of *Staphylococcus aureus*. *Proc. Soc. Exp. Biol. Med.* 104:151-153.

Kawabata S, Morita T, Miyata T, Iwanaga S, and Igarashi H, (1986). Isolation and Characterization of Staphylocoagulase Chymotryptic Fragment. *J. Biol. Chem.* 261:1427-1433.

Klieneberger-Nobel E, (1948). Capsules and mucoid envelopes of bacteria. *J. Hyg.* 46: 345-348.

Kloos WE, Ballard DN, George CG, Webster JA, Hubner RJ, Ludwig W, Schleifer KH, Fiedler F, and Schubert K, (1998). Delimiting the genus *Staphylococcus* through description of *Macrococcus caseolyticus* gen. nov., comb. nov. and *Macrococcus equipercicus* sp. nov., and *Macrococcus bovicus* sp. nov. and *Macrococcus carouselicus* sp. Nov. *Int. J. Syst. Bacteriol.* 48:859– 877.

Kloos WE and Bannerman TL, (1994). Update on clinical significance of coagulase-negative *staphylococci*. *Clin. Microbiol. Rev.* 7:117-140.

- Kurtzman CP and Fell JW, (2005). Biodiversity and Ecophysiology of Yeasts (in: The Yeast Handbook, Gábor P, de la Rosa CL, eds.). Berlin: *Springer*. 11–30.
- Kurtzman CP and Fell JW, (2006). Yeast Systematics and Phylogeny—Implications of Molecular Identification Methods for Studies in Ecology. Biodiversity and Ecophysiology of Yeasts. The Yeast Handbook, *Springer*.
- Kurtzman CP, (1994). Molecular taxonomy of the yeasts. *Yeast* 10:1727–1740.
- Kurtzman CP and Piškur J, (2006). Taxonomy and phylogenetic diversity among the yeasts (in Comparative Genomics: Using Fungi as Models. Sunnerhagen P, Piskur J, (eds). Berlin: *Springer*, 29–46.
- Lack CH and Wailling DG, (1954). A study of 435 strains of *Staphylococcus pyogenes* with reference to factors which may contribute to pathogenicity. *J. Path. Bact.* 68:431-443.
- Laemmle U K, (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680-685.
- Legras JL, Merdinoglu D, Cornuet JM, and Karst F, (2007). Bread, beer and wine: *Saccharomyces cerevisiae* diversity reflects human history. *Molecular Ecology* 16:2091–2102.
- Li WH and Nei NM, (1979). Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proc. Natl. Acad. Sci.* 76:5269–5273.
- Lindhout HT, Mertens K, Engels FL, and Hernker HC, (1983). Activation of Human Prothrombin by Stoichiometric Levels of Staphylocoagulase. *Tun. Journal. Bromcrc. Ctsursrny.* 258:363-394.
- Lindsay JA, Ruzin A, Ross HF, Kurepina N, and Novick RP, (1998). The gene for toxic shock toxin is carried by a family of mobile pathogenicity islands in *Staphylococcus aureus*. *Mol. Microbiol.* 29:527-543.
- Loeb L, (1903). The influence of certain bacteria on the coagulation of blood. *J. Med. Res.* 10:407-419.
- Lominski I and Milne JA, (1947). Heat resistance and filterability of staphylocoagulase. *Path. Bact.* 59:516-518.

- Lominski I, Morrison RB, and Smith D, (1953). Smooth variants of *Staphylococcus aureus*. *Rough Proc. Sixth. Int. Congr. Microbiol.* 1:343-364.
- Lominski I, O'Hea A J, Goudie J G, and Porter A, (1950). Production of staphylocoagulase in a chemically defined medium. *Nature* 166:309-310.
- Lyons C, (1937). Antibacterial immunity to *Staphylococcus pyogenes*. *Brit. J. Exp. Path.* 18:411-422.
- Madigan M and Martinko J, (2005). Brock Biology of Microorganisms(11th ed.). Prentice Hall. (Cited via wikipedia).
- Marks J, (1952). Recognition of pathogenic staphylococci: with notes on nonspecific staphylococcal hemolysin. *J. Path. Bact.* 64:175-186.
- McDevitt D, Vaudaux P, and Foster TJ, (1992). Genetic evidence that bound coagulase of *Staphylococcus aureus* is not clumping factor. *Infect. Immun.* 60:1514-1523.
- Menkin V and Walston HD, (1935). Role of coagulating principle of *Staphylococcus aureus* in relation to invasiveness of this microorganism. *Proc. Soc. Exp. Biol.* 1259-1262.
- Miale JB, (1949). The Reaction of Staphylocoagulase with coagulaseglobulin (CG) to form coagulase thrombin (CT). *Am. Soc. of Hematology*, 4:1039-1048,
- Miale, JB, (1950). The role of staphylocoagulase in blood coagulation. I. The reaction of staphylocoagulase with coagulase-globulin (CG) to form coagulase-thrombin (CT). *Blood*, 4:1039-1048.
- Michael W, Reeves Margaret C, Drummond MC, and Morris Tager, (1981). Partial Purification and Characterization of the Multiple Molecular Forms of *Staphylococcal* Clotting Activity (Coagulase) *J. Bacteriol.* 148:861-868.
- Mohamed NA, Mohamed R, and Chong TT, (2012). Homology modelling of coagulase in *Staphylococcus aureus*. *Bioinformation* 8:412-414.
- Mojovic B, Mojovic N, Tager M, and Drummond MC, (1969). Staphylocoagulase as a hemostatic agent. *Yale. J. Biol. Med.* 42:11–20.
- Moore D; Robson GD; Trinci APJ, (2011). 21st Century Guidebook to Fungi (1st ed.). Cambridge University Press.

- Morgan FG and Graydon JJ,(1936). Toxins of the *staphylococcus*,with especial reference to the estimation of potency. *J. Path. Bact.* 43:385 -401.
- Morita T, Iwanaga S, and Suzuki T, (1976) .*J. Biochem. (Tokyo)* 79:1089-1108
- Much H, (1908). UbereineVorstufe des Fibrinfermentes in Kulturen von *Staphylococcus aureus*. *J. Biochem.* 14:143-155.
- Nei M. and Li WH, (1979). Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proc. Natl. Acad. Sci.* 76:5269-5373.
- Neisser M and Wechsberg F, (1900). Uber eine neue einfache. Methode zur Beobachtung von Schadigungen lebender Zellen und Organismen (Bioskopie). *munch. Med. Wschr.* 47:1261-1262.
- Ogston A, (1883). Micrococcus poisoning. *J. Anat. Physiol. (London)* 17:24–58.
- Ostergaard S, Olsson L, and Nielsen J, (2000).Metabolic Engineering of Saccharomyces cerevisiae. *Microbiol. Mol. Biol. Rev.* 64:34–50.
- Panizzi P, Friedrich R, and Fuentes-Prior P, (2006). Novel Fluorescent Prothrombin Analogs as Probes of Staphylocoagulase-Prothrombin Interactions. *J. Biol. Chem.* 281:1169-1178.
- Panton PN and Valentine FCO, (1929). Staphylococcal infection and reinfection. *Brit. J. Exp. Path.* 10:257-262.
- Pasteur L, (1880). De l'extension de la therie des germes aletiologie de quelques maladies communes. *G. R. Acad. Sci. (Paris)* 90:1033-1044. cited in Carl Ross Anselmo, (1964).
- Price KM and Kneeland YJ, (1954). A mucoid form of *Micrococcus pyogenes* var. *aureus* which shows capsular swelling with specific immune serum. *J. Bact.* 67:472-475.
- Rammelkamc PH, Hezebickms M, and Dinglej H, (1950). Specific coagulases of *staphylococcus aureus*. *J . Exp. Med.* 91:295-307.
- Reisner AH, (1975) The use of Coomassie Brilliant Blue G-250 perchloric acid solution for staining in electrophoresis and isoelectric focusing on polyacrylamide gels..*Anal. Biochem.* 64:509–516

- Reuse H and Bereswill S, (2009). Microbial Pathogenomics. karger medical and scientific publisher. 6:38-56.
- RichouR, (1949). Sur la coagulation du plasma oxalate de cheval par la staphylocoagulase. *Rev. Immunol.* 2:162-176.
- Ritsu S, Nobuhiro M, Hiroyuki O, and Kondo T, (1995) .Difference in surface properties between *Escherichia coli* and *Staphylococcus aureus* as revealed by electrophoretic mobility measurements. *Biophys. Chem.* 55:273-277.
- Rosenbach AJ, (1884). Mikro-Organismen bei den Wund-Infectious-Krankheiten des Menschen. Wiesbaden. J.F. Bergmann. 1-122
- Rosenbach FJ, (1884). Mikroorganismen bei den Wundinfections-Krankheiten des Menschen. Wiesbaden,Germany.
- Ryan KJ and Ray CG, ed, (2004). *Sherris Medical Microbiology* (4th ed.). McGraw Hill.
- Said MSBM, (2010). Sequences analysis and secondary structure prediction of Coagulase enzyme in *Staphylococcus aureus*. University Teknologi Mara. (URL-
http://ir.uitm.edu.my/2230/1/MUHAMAD_SHUHAIMI_MAT_SAID_10_24.pdf)
- Schwabacher H, Cunliffe AC, Williams RE, and Harper GJ, (1945). Hyuronidase production by *staphylococci*. *Brit. J. Exp. Path.* 26:124-129.
- Sedmak JJ and Grossberg SE, (1977). A rapid, sensitive and versatile assay for protein using Coomassie Brilliant Blue G-250. *Anal. Biochem.* 79:544–552.
- Shopsin B, Gomez M, Waddington M, Riehman, M, and Kreiswirth BN, (2000). Use of Coagulase Gene (coa) Repeat Region Nucleotide Sequences for Typing of Methicillin-Resistant *Staphylococcus aureus* Strains. *J. Clin. Microbiol.* 38:3453-3456.
- Shun-ichiro Kawabata, Takashi Morita, Toshiyuki Miyata, Sadaaki Iwanaga, and Hideo Igarashis, (1986). Isolation and Characterization of Staphylocoagulase Chymotryptic Fragment. *J. Biol. Chem.* 261:1427-1433.

- Silvestri LG and Hill LR, (1965). Agreement between deoxyribonucleic acid base composition and taxonomic classification of Gram-positive cocci. *J. Bacteriol.* 90:136–140.
- Smith M, Lewellyn L, and Price SA, (1938). Staphylococcus hemolysin. *J. Path. Bact.* 47:379-393.
- Smith W and Halej H, (1944). The nature and mode of action of *staphylococcus* coagulase. *Brit. J. Exp. Path.* 25:101.
- Spector T, (1978). Refinement of the Coomassie blue method of protein quantitation. A simple and linear spectrophotometric assay for less than or equal to 0.5 to 50 micrograms of protein. *Anal. Biochem.* 86:142–146.
- Spink WW, (1939). Attempts to demonstrate surface antigen of staphylococci and specific phagocytosis. *Proc. Soc. Exp. Biol.* 40:549-552.
- Tager M and Hales HB, (1947). Quantitative coagulase and toxin production by staphylococci in relation to the clinical source of the organisms. *Yale. J. Biol. Med.* 20:41-49.
- Tager M, (1948). Studies on the coagulase-reacting factor. I. The reaction of staphylocoagulase with the components of human plasma. *Yale. J. Biol. Med.* 20: 369.
- Taoer M and Hale S, (1948). The experimental production of antibodies to staphylocoagulase. *J. Immunol.* 60:475.
- Thongboonkerd V, Kenneth T, McLeish R, Arthur M J, and Klein B Joan, (2002). Proteomic analysis of normal human urinary proteins isolated by acetone precipitation or ultracentrifugation. *J. Kidney International*, 62:1461–1469.
- Todar's online textbook of bacteriology by Kenneth todar (2008).
- Turnell DC and Cooper JD, (1982). Rapid assay for amino acids in serum or urine by pre-column derivatization and reversed-phase liquid chromatography. *J. Clin. Chem.*, 28:527-531
- URL: www.microrao.com/micronotes/coagulase.pdf.

- URL:<http://europepmc.org/backend/ptpmcrender.fcgi?accid=PMC441160&blobtype=pdf>
- URL:<http://europepmc.org/backend/ptpmcrender.fcgi?accid=PMC441160&blobtype=pdf>
- Van de Velde H, (1894). Etude sur le mecanisme de la virulence du Staphylocoque pyog'ene. Cellule .10.:401 -460. Cited in Carl Ross Anselmo (1964).
- Varaldo PE, Kilpper-Balz R, Biavasco F, Satta G, and Schleifer KH, (1988). *Staphylococcus delphini* sp. nov., a Coagulase-Positive Species Isolated from Dolphins. *Int. J. Syst. Bacteriol.* 38 436–439.
- Wacup JH, (1951). The ecology of soil fungi. *trans. Brit. micol. Society.* 34:376-399.
- Walker BS, Derow MA, and Schaffer NK, (1948). The partial purification of staphylocoagulase and the effect of certain presumptive inhibitors upon its plasma-coagulating action. *J. Bact.* 56:191 -194.
- Walker DH, (1996). Rickettsiae. In: Barron's Medical Microbiology (Barron S *et al.*, eds.) (4th ed.). Univ of Texas Medical Branch. (Cited via wikipedia).
- Walker K, Skelton H, and Smith K, (2002). Cutaneous lesions showing giant yeast forms of Blastomyces dermatitidis. *J. Cutan. Pathol.* 29:616–618.
- Walston H D, (1935). The clotting of plasma through staphylococci and their products. *J. Hyg.* 35:549 -558.
- What are yeasts?". Yeast Virtual Library. 13 September 2009. (Cited via wikipedia).
- Wilkinson BJ, (1997). Biology. In: Crossley KB, Archer GL, eds. The Staphylococci in Human Diseases. Churchill Livingston, London. pp 1-38.
- Williams RE and Harper GJ, (1947). Staphylococcal haemolysins on sheep-blood agar with evidence for a fourth haemolysin. *J. Path. Bact.* 59:69-78.
- Zopf W, (1885). Die Spaltpilze. E. Trewendt. Breslau, Poland.
- Zsófia B, Mária D, Scott H F, Éva K, Orsolya O, and Gyula S, (2011). Laboratory Practicals in Physiology. Page no. 7-8.