

Bibliography

- Abdul Khalil HPS, Sri Aprilia NA, Bhat AH, Jawaid M, Paridah MT, Rudi D. A; *Jatropha* biomass as renewable materials for biocomposites and its applications. *Renew Sustain Energy Rev* (2013); **22**: 667–85.
- Abigor, R. D. and Uadia, P. O., Lipid composition of *Jatropha curcas* L. seed oil. *Riv. It. Sost. Gras.* (2001); **78**:163-165.
- Abramovic, H., Butinar, B. and Nikolic, V., Changes occurring in phenolic content, tocopherol composition and oxidative stability of *Camelina sativa* oil during storage. *Food Chem.* (2007); **104**: 903–909.
- Achten WMJ, Nielsen LR, Aerts R, Lengkeek AG, Kjær ED, Trabucco A, Hansen JK, Maes WH, Graudal L, Akinnifesi FK, Muys B. Towards domestication of *Jatropha curcas*. *Biofuels* (2010); **1**: 91-107.
- Altenburg, Tillman, Dietz, Hildegard, Hahl, Matthias, Nikolidakis, Nikos, Rosendahl, Christina, and Seelige, Kathrin. (2009). Biodiesel in India. Value Chain Organisation and Policy Options for Rural Development. German Development Institute Studies. Bonn: Germany.
- Amaral, J. S., Casal, S., Pereira, J. A., Seabra, R. M. and Oliveira, B. P., Determination of sterol and fatty acid compositions, oxidative stability and nutritional value of six walnut (*Juglans regia* L.) cultivars grown in Portugal. *J. Agric. Food Chem.*, (2003); **51**: 7698-7702
- Anonymous; First Report on Tree Borne Oilseeds, NOVOD Report, Gurgaon, India (2006).
- Antolin G and Tinaut FV,, Optimization of biodiesel production by Sunflower oil transesterification, *Bioresource Technol.*, (2002) **83**:111.

Bibliography

- Arranz, S., Cert, R., Pérez-Jiménez, J., Cert, A. and Saura-Calixto, F., Comparison between free radical scavenging capacity and oxidative stability of nut oils. *Food Chem.*, (2008); **110**:985–990.
- Aslan, S., Relationship between seed dimensions and seedling percentage and seedling quality in *Pinus brutia*. *Orm. Aras. Enst. Tek. Bult.*, (1975), **64**: 39.
- Bardini M, Lee D, Donini P, Mariani A, a Gianì S, Toschi M, Lowe C, and Breviario D.; Tubulin-based polymorphism (TBP): a new tool, based on functionally relevant sequences, to assess genetic diversity in plant species; *Genome* (2004); **47**: 281-291.
- Basha SD, Sujatha M.; Inter and intra-population variability of *Jatropha curcas* (L.) characterized by RAPD and ISSR markers and development of population-specific SCAR markers. *Euphytica* (2007); **156**: 375-86.
- Basha, S. D. & Sujatha, M.; Genetic analysis of *Jatropha* species and interspecific hybrids of *Jatropha curcas* using nuclear and organelle specific markers. *Euphytica* (2009); **168**: 197-214.
- Becker, J. G. ; Flora of Maritises and seydselles. L. Recve & Co., London, (1877): 322.
- Berchmans H J & Hirata S, Biodiesel production from crude *Jatropha curcas* L. seed oil with a high content of free fatty acids, *Bioresour. Technol.*, (2008) **99**:1716.
- Bhasabatra, R. And Sutiponpeibun, S.; *Jatropha curcas* oil as a substitute for diesel engine oil. *Renewable Energy Review Journal* (1982a); **4**: 56–70.
- Bhasabatra, R. And Sutiponpeibun, S.; The study of *Jatropha curcas* oil as a substitute of diesel engine oil. Thai. Verglon. Department of Agriculture, Ministry of Agriculture and Cooperatives, Bangkok, (1982b):42 pp.

Bibliography

- Bhattacharya A, Datta K, Datta SK; Floral biology, floral resource constraints and pollination limitation in *Jatropha curcas* L. *Pakistan Journal of Biological Sciences* (2005); **8**: 456-460.
- Bhattacharya, P and Joshi B. Strategies and Institutional Mechanisms for Large Scale Cultivation of *Jatropha Curcas* under Agroforestry in the Context of the Proposed Biofuel Policy of India. Indian Institute of Forest Management. ENVIS Bulletin on Grassland Ecosystems and Agroforestry. **Vol. 1**. No. 2 (2003); Bhopal: India.
- Braglia L., Manca A., Mastromauro F., Breviario, D. cTBP: A successful Intron Length Polymorphism (ILP)-Based genotyping method targeted to well defined experimental need; *Diversity* (2010); **2**:572-585.
- Bravi E, Perretti G, Montanari L. Fatty acids by high performance liquid chromatography and evaporative light scattering detector. *J Chromatogr A* (2006); **1134**: 210–4.
- Breviario D, Baird WV, Sangi S, Hilu K, Blumetti P, Gianì S; High polymorphism and resolution in targeted fingerprinting with combined beta-tubulin introns. *Molecular Breeding* (2007); **20**: 249-259.
- Breviario D, Morello L, Manca A, Gianì S; The importance of being an intron by wild type tubulin genes. In: Blume YB , Baird WV, Yemets AI, Breviario D (Eds) *The Plant Cytoskeleton: A Key Tool for Agro-Biotechnology* Springer AK/NATO Publishing Unit, (2009); 467 pp.
- BRITISH PETROLEUM 2011: BP Energy Outlook 2030.
- Casazza, A. P., Gavazzi, F., Mastromauro, F., Gianì, S. and Breviario D., Certifying the feed to guarantee the quality of traditional food: an easy way to trace plant species in complex mixtures. *Food Chem.* (2011); **124**: 685-691.

Bibliography

CGES; The Outlook for Oil Demand Growth. Oil Market Prospects. London: United Kingdom (December, 2008).

Costanza R, d'Arge R, de Groot R, Fraber S, Grasso M, Hannon B, Limburg K, Naeem S, O'Neil RV, Peruelo J, Raskin RG, Sutton PM and van den Belt: The value of the world's ecosystem services and natural capital, *Nature*, (1997); **387**:253.

Devanesan M G, Viruthagiri T & Sugumar N, Transesterification of Jatropha oil using immobilized *Pseudomonas fluorescens*, *African J of Biotechnol*, (2007); **6**: 2497. Available online at <http://www.academicjournals.org/AJB>.

Devappa RK, Makkar HPS. Becker K.; Shelf-life of isolated phorbol esters from *Jatropha curcas* oil. *Ind Crop Prod* (2013); **49**: 454– 61.

Doyle JJ, Doyle JL; Isolation of plant DNA from fresh tissue. *Focus* (1990); **12**:13–15.

El Diwani, G., El Rafie, S. and Hawash, S., Protection of biodiesel and oil from degradation by natural antioxidants of Egyptian Jatropha. *Int. J. Environ. Sci. Tech.* (2009); **6**: 369-378.

Gokhale D; Biofuel markets Asia and Jatropha conference, Jakarta (2009).

Galasso I., Manca A., Braglia L., Martinelli T., Morello L., Breviario D.; h-TBP: an approach based on intron-length polymorphism for the rapid isolation and characterization of the multiple members of the b-tubulin gene family in *Camelina sativa* (L.) Crantz. *Mol Breeding* (2011); **28**: 635-645.

Ganesh Ram S, Parthiban KT, Senthil KR, Thiruvengadam V, Paramathma M; Genetic diversity among *Jatropha* species as revealed by RAPD markers. *Genetic Resources and Crop Evolution* (2008); **50**: 75-82.

Bibliography

Gimeno E, Calero E, Castellote AI, Lamuela-Raventós RM, de la Torre MC, López-Sabater M.C. Simultaneous determination of α -tocopherol and β -carotene in olive oil by reversed-phase high-performance liquid chromatography. *J Chromatogr A* (2000); **881**: 255-9.

Ginwal, H. S., Rawat, P. S. and Srivastava, R. L., Seed source variation in growth performance and oil yield of *Jatropha curcas* Linn. in Central India. *Silvae Genet.* (2004); **53**: 186–192.

Goswami K, Saikia J, Choudhury HK.; Economic Benefits and Costs of *Jatropha* Plantation in North-East India. *Agric Econom Res Rev* (2011); **24**: 99-108.

Haas, W. and Mittelbach, M., Detoxification experiments with the seed oil from *Jatropha curcas* L.; *Ind. Crops Prod.* (2000); **12**: 111–118.

Haas, W., Sterk, H. and Mittelbach, M., Novel 12-deoxy-16-hydroxyphorbol diesters isolated from the seed oil of *Jatropha curcas*. *J Nat Prod* (2002); **65**:1434-1440.

Harper, J. L., Lovell, P. H. and Moore, K. G., The shape and size of seeds. *Annu. Rev. Ecol. Spt.* (1970); **1**:327–356.

Heller Joachim; Physic nut. *J. curcas* L. Promoting the conservation and use of underutilized and neglected crops. Institute of Plant Genetics and Crop Plant Research Notes, Gatersleben/ International Plant Genetic Resources Institute, Rome Italy (1996), 66 pp.

<http://www.oil-price.net/>

<http://www.xe.com/ucc/convert.cgi/>

http://www.iea.org/publications/freepublications/publication/WEO2011_WEB.pdf;

World energy outlook (2011);

Bibliography

India Brand Equity Foundation (IBEF) (2008);
[\(www.ibef.org/download/OilandGas_010709.pdf\).](http://www.ibef.org/download/OilandGas_010709.pdf)

ICRISAT Archival Report 2007. The Productivity and Livelihoods of Success in the SAT Nourished. International Crops Research Institute for the Semi-Arid Tropics. Patancheru, Andhra Pradesh: India. Available at: www.icrisat.org/MTP/Archival_2007.pdf. (published in 2008)

Iktueren, S., Provenance experiments on *Pinus brutia* and *Pinus pinea* in Turkey. In: Seed and Nursery Results. Proceedings of the Tubitak VIth Science Congress. Agriculture and Forestry Section, Ankara (1977); pp. 11–19.

International Energy Agency, 75739, Paris, Cedex 15, France; World Energy Outlook, 2011.

Isik, K., Altitudinal variation in *Pinus brutia* Ten.: Seed and seedling characteristics. *Silvae Genet.* (1986); **35**: 2–3.

Jarray, S.; Potential of physic nut (*Jatropha curcas* Linn.) as an energy source in Thailand. Agric. Res. Thailand (1984) **2**: 67–72.

Karmee SK and Chadha A, Preparation of biodiesel from crude oil of *Pongomia pinnata*, *Bioresource Technol.*, (2005); **96**: 1425.

Karp A, Edwards K; DNA markers: a global overview: In: Anolles GC, Gresshoff PM (Eds) DNA Markers: Protocols, Applications and Overviews Willy-liss, Inc., New York (1998); pp. 1-14.

Karp, A., Peter, G., Ingram, I., and Ingram, D.; Molecular tools for screening biodiversity. Chapman and Hall, London, U.K (1998).

Bibliography

- Kinawy O S E, Characterization of Egyptian Jatropha Oil and Its Oxidative Stability; *Energy Sources, Part-A*, (2010) **32**:119.
- Koebner, R.M.D., Powell, W., and Donini, P.; Contributions of DNA molecular marker technologies to the genetics and breeding of wheat and barley. *Plant Breed. Rev.* (2001); **21**: 181.220.
- Kornsteiner, M., Wagner, K. H. and Elmadfa, I., Tocopherols and total phenolics in 10 different nut types. *Food Chem.* (2006); **98**:381–387.
- Kumar A & Sharma S; An evaluation of multipurpose oil seed crop for industrial uses (*Jatropha curcas* L.): a review, *Ind. Crops Prod.* (2008) **28**: 1.
- Kumar S, Kumaria S, Sharma SK, Rao SR, Tandon P.; Genetic diversity assessment of *Jatropha curcas* L. germplasm from Northeast India. *Biomass Bioenergy* (2011); **35**: 3063- 70.
- Kumar S, Kumaria S, Tandon P.; SPAR methods coupled with seed-oil content revealed intra-specific natural variation in *Jatropha curcas* L. from Northeast India. *Biomass Bioenergy* (2013); **54**: 100-06.
- Kumar Tiwari, A. K., Kumar, A. and Raheman, H., Biodiesel production from jatropha oil (*Jatropha curcas*) with high free fatty acids: An optimized process. *Biomass Bioenergy* (2007); **31**:569–575.
- Kumar, R. V., Tripathi, Yogendra K., Izhaki, Ido, Yadav, V. P. and Ahlawat, S. P. Intraspecific Variation and Interrelationships Between Morphology, Nutritional Content and Enzymatic Activity of Jatropha Curcas L.; *Current Science* (2008). **95**.

Bibliography

- Li Y, Bao G, Wang H. Determination of 11 fatty acids and fatty acid methyl esters in biodiesel using ultra performance liquid chromatography. *Chin. J Chromatogr.* (2008); **26**:494–8.
- Ma F, Hanna & Milford A, Biodiesel production: a review, *Bioresource Technolo*, (1999) **70**: 1.
- Makkar, H. P. S., Aderibigbe, A. O. and Becker, K., Comparative evaluation of non-toxic and toxic varieties of *Jatropha curcas* for chemical composition, digestibility, protein degradability and toxic factors. *Food Chem.*, (1998); **62**: 207-215.
- Makkar, H., Maes, J. De Greyt, W. and Becker, K., Removal and degradation of phorbol esters during pre-treatment and transesterification of *Jatropha curcas* oil. *J. Am. Oil Chem. Soc.* (2009); **86**: 173–181.
- Makkar H P S & Becker K, *Jatropha curcas*, a promising crop for the generation of biodiesel and value-added coproducts- Review Article, *Eur. J Lipid Sci. Technol*, (2009) **111**:773.
- Malvolti ME, Pollegioni P, Bertani A, Mapelli S, Cannata F. *Juglans regia* provenance research by molecular, morphological and biochemical markers: a case study in Italy. *Biorem Biodiv Bioavail* (2010); **4**: 84-92.
- Martin, G. And Mayezix, A.; Reflection on oil crops as source of energy II. The physic nut (*Jatropha curcas* L.): A possible source of fuel. *Leagineux* (1984); **39**: 283–287.
- Martinez-Herrera, J. , Siddhuraju, P., Francis, G., Dàvila-Ortìz, G. and Becker, K., Chemical composition, toxic/antimetabolic constituents, and effects of different treatments on their levels, in four provenances of *Jatropha curcas* L. from Mexico. *Food Chem.* (2006); **96**: 80–89.

Bibliography

- Meher L C, Dharmagadda V S S & Naik S N, Optimization of alkali-catalyzed transesterification of Pongamia pinnata oil for production of biodiesel, *Bioresource Technology*, (2006) 97:12,1392.
- Misra RD and Murthy MS. Jatropha - The future fuel 447 of India. *Renew Sustain Energy Rev.* 2011;1 (5): 1350–9.
- Montes LR, Azurdia C, Jongschaap REE, van Loo BE, Visser R, Mejia L; Global evaluation of genetic variability in *Jatropha curcas*. In: Wageningen University Plant Breeding Research Day, 17 June, 2008, Wageningen.
- Mukundan Sashi K. Business Challenges for NOCs, Independents, Private Players and Oil Majors in the Indian Oil and Gas Industry. Presentation at the International Petroleum Week 2009. London: United Kingdom. 19 February, 2009.
- Munch, E. And Keifer, J.; Physic nut: a multipurpose plant as a future source of motor fuel. *Zusammenarbeit* (1989); 209: 232.
- Naik M, Meher L C, Naik S N & Das L M, Production of biodiesel from high free fatty acid Karanja (Pongamia pinnata) oil, *Biomass and Bioenergy*, 32(4) (2008) 354.
- Palmberg, C., Geographic variation and early growth in southeastern semi-arid Australia of *Pinus halepensis* Mill. and the *Pinus brutia* Ten. species complex. *Silvae Genet.* (1975); **24**:150–159.
- Pamidamarri SDV, Pandya N, Reddy MP, Radhakrishnan T; Comparative study of interspecific genetic divergence and phylogenetic analysis of genus *Jatropha* by RAPD and AFLP. *Molecular Biology Reports* (2009a); **36**: 901-907.
- Pamidamarri SDV, Chattopadhyay B, Reddy MP; Genetic divergence and phylogenetic analysis of genus *Jatropha* based on nuclear ribosomal DNA ITS sequence. *Molecular Biology Reports* (2009b); **36**:1929-1935.

Bibliography

- Pamidamarri SDV, Sinha R, Kothari P, Reddy MP; Isolation of novel microsatellites from *Jatropha curcas* L. and their cross-species amplification. *Molecular Ecology Resources* (2009c); **9**:431-433.
- Panse, V. G. and Shukhatme, P. V., *Statistical Procedures for Agricultural Workers*, ICAR Publication, New Delhi, 1967.
- Pant KS, Khosala V, Kumar D, Gairola S; Seed oil content variation in *J. curcas* Linn. In different altitudinal ranges and site conditions in H.P. India. *Lyonia* (2006); 31-34.
- Pecchia, P., Russo, R, Brambilla, I, Reggiani, R. and Mapelli, S., Biochemical seed traits of *Camelina sativa* – An emerging oilseed crop for biofuel: environmental and genetic influences. *J. Crop Improv.* (2014); **28**: 465-483.
- Planning Commission of India website: (<http://planningcommission.gov.in>); Visited 25 May, 2009.
- Popluechai S, Breviario D, Mulpuri S, Makkar HPS, Raorane M, Reddy AR, Palchetti E, Gatehouse AMR, Syers JK, O'Donnell AG, Kohli A; Narrow genetic and apparent phenetic diversity in *Jatropha curcas*: initial success with generating low phorbol ester interspecific hybrids. *Nature Precedings DOI* (2009): hdl:10101/npre.2009.2782.1.
- Powell W, Morgante M and Andre C; The comparison of RFLP, AFLP and SSR (microsatellite) markers for germplasm analysis; *Molecular Breeding* (1996); **2**:119-122.
- Prabakaran AJ, Sujatha M; *Jatropha tanjorensis* Ellis & Saroja, a natural interspecific hybrid occurring in Tamil Nadu, India. *Genetic Resources and Crop Evolution* (1999); **46**:213-218.

Bibliography

- Raina, A. K.; *Jatropha curcas* fence against energy crisis. In: Proc. Bio-energy Society First Conv. & Symposium. R. N. SHARMA *et al.* (eds.). *Bioenergy Society of India* (1985); New Delhi, 114–117.
- Rajvanshi, Anil K.. Sustainable Energy for India's Rural Development. Nimbkar Agricultural Research Institute (NARI) (2007); Phaltan, Maharashtra: India
- Ranade SA, Srivastava AP, Rana TS, Srivastava J, Tuli R.; Easy assessment of diversity in *Jatropha curcas* L. plants using two single-primer amplification reaction (SPAR) methods. *Biomass Bioenergy* (2008); **32**: 533-40.
- Rao, G. R., G. R. Korwar, A. K. Shanker and Y. S. Ramakrishna; Genetic associations, variability and diversity in seed characters, growth, reproductive phenology and yield in *Jatropha curcas* (L.) accessions. *Trees* (2008); **22**:697-709.
- Rao V T, Rao P G & Reddy C H K Experimental investigation of pongamia, jatropha and neem methyl esters as biodiesel on C.I. engine, Jordan J Mech. Ind. Eng (2008); **2**: 117.
- Ratree S A, Preliminary Study On Physic Nut (*Jatropha curcas* L.) In Thailand, *Pak. J Bio. Sc.*, (2004); **7**: 1620.
- Riemer Pierce and & Ulrike Von Lonski; 75 years world petroleum council 1993-2008; Gebundene Ausgabe-2008.
- Roach JS, Devappa RK, Makkar HPS, Becker K.; Isolation, stability and bioactivity of *Jatropha curcas* phorbol esters. *Fitoterapia* (2012); **83**: 586–92.
- Rosegrant M, Paisner MS and Meijer S; Long-term prospects for agriculture and the resource base. The world bank rural development family: rural development strategy background. World Bank, Washington, DC. Available at <http://go.worldbank.org/J1D1O0B6E0> (2001).

Bibliography

- Ross Ivan A; *Jatropha curcas* Miers; Medicinal Plants of the World; *Humana Press*; Vol. 1; 2nd Edition (2003).
- Roy S, Hens D, Biswas D and Kumar R; Survey of petroleumdegrading bacteria in coastal waters of Sunderban Biosphere Reserve. *World J. Microbiol.* (2002); **18**: 575-581.
- Saikia SP, Mapeli S, Breviario D, Gallaso I, Giani S, Braglia L, Pecchia P, Gogoi A and Dutta Mudo K; Comparative studies for selection of *Jatropha curcas* L. capable of high yield and oil quality in Assam environment; *Current Science* (2015); **109**: 552-566.
- Scaife, Peter, Brown, Phil, Cottrell, Aaron, and Wibberley, Louise. (April 2006). Energy Scenarios: India. Technology Assessment Report 53. Cooperative Research Centre for Coal in Sustainable Development. QCAT Technology Transfer Centre. Pullenvale, Qld: Australia
- Senthil Kumar R, Parthiban KT, Govinda Rao M; Molecular characterization of *Jatropha* genetic resources through inter-simple sequence repeat (ISSR) markers. *Molecular Biology Reports* (2009); **36**:191-1956.
- Shen, J. L., Xiang-nan, J., Hui-qun, N., Pei-guang, S., Shi-hui, N. and Xiao-yang, C., AFLP analysis of genetic diversity of *Jatropha curcas* grown in Hainan, China. *Trees* (2010); **24**: 455-462.
- Shu QY, Bolun Y, Hong Q, Song and Zhu G, Synthesis of biodiesel from Soybean oil and Methanol catalyzed by zeolite beta modified with La³⁺, *Catalysis Communications*, (2007); **8**:2159.
- Sirisomboon P, Kitchaiya P, Pholpho T & Mahuttanyavanitch W, Physical and mechanical properties of *Jatropha curcas* L. fruits, nuts and kernels, *Biosyst. Eng.* (2007); 97:201.

Bibliography

- Singh B, Singh K, Rao GR, Chikara J, Kumar D, Mishra DK, Saikia SP, Pathre UV, Raghuvanshi N, Rahi TS and Tuli R. Agro-technology of *Jatropha curcas* for diverse environmental conditions in India. *Biomass Bioenergy* (2013); **48**:191-202.
- Singh P, Singh S, Mishra SP and Bhatia SK; Molecular characterization of genetic diversity in *J. curcas* L.; *Genes Genomes and Genomics* (2010); **4**: 1-8.
- Singh SP, Singh D.; Biodiesel production through the use of different sources and characterization of oils and their esters as the substitute of diesel: a review. *Renewable and Sustainable Energy Reviews* (2010); **14**: 200–216.
- Singh Brahma, Swaminathan, R., Ponraj, V., and Bhawan, Rashtrapati (Eds.); Biodiesel Conference Towards Energy Independence - Focus on Jatropha. Papers presented at the Conference Rashtrapati Nilayam, Bolaram, Hyderabad on 9-10 June, 2006. New Delhi: India
- Soller M, Beckmann JS; Genetic polymorphism in varietal identification and genetic improvement. *Theoretical and Applied Genetics* (1983); **67**:25-33.
- Srivastava, R.; Study in variation in morpho-physiological parameters with reference to oil yield and quality in *Jatropha curcas* Linn.; Ph. D. thesis (1999); Forest Research Institute (Deemed University), Dehradun, India.
- Steinfeld H, Gerber P, Wassenaar T, Castel V, Rosales M, de Haan C, Livestock's long shadow—environ issues and options. U.N. Food and Agriculture Organization, Rome, Italy (2006).
- Sudheer PDVN, Mastan S. G., Rahman H. and Reddy MP.; Molecular characterization and genetic diversity analysis of *Jatropha curcas* L. in India using RAPD and AFLP analysis. *Mol. Biol. Rep.* (2010); **37**:2249-2257.

Bibliography

- Sudheer PDVN, Singh S, Mastan SG, Patel J, Reddy MP.; Molecular characterization and identification of markers for toxic and non-toxic varieties of *Jatropha curcas* L. using RAPD, AFLP and SSR markers. *Mol Biol Rep* (2008); **36**: 1357-64.
- Sukarin, W., Yamada, Y. And Sakaguchi, S.; Characteristics of physic nut, *Jatropha curcas* L. as a new biomass crop in the Tropics. *Jpn. Agric. Res. Quart. (Japan)* (1987); **20**: 302–303.
- Sunil N, Kumar V, Sujatha M, Rao GR, Varaprasad KS.; Minimal descriptors for characterization and evaluation of *Jatropha curcas* L. germplasm for utilization in crop improvement. *Biomass Bioenergy* (2013); **48**: 239-49.
- Sunil N, Sujatha M, Kumar Vinod, Vanaja M, Basha SD, Varaprasad KS.; Correlating the phenotypic and molecular diversity in *Jatropha curcas* L. *Biomass Bioenergy* (2011); **35**: 1085-96.
- Sunil N, Varaprasad KS, Sivaraj N, Kumar TS, Abraham B, Prasad RBN; Assessing *Jatropha curcas* L. germplasm in-situ - A case study. *Biomass and Bioenergy* (2008); **32**:198-202.
- Takeda, Y.; Development study on *Jatropha curcas* (sabundan) oil as a substitute for diesel engine oil in Thailand. *J. Agri. Assoc.* (1982b); **120**: 1–8.
- Takeda, Y. And Minoru, O.; Interim report on the study of *Jatropha curcas* oil as a substitute for diesel engine oil. Industrial Finance Corporation, Thailand, Bangkok (1981).
- Tiwari K A, Kumar A & Raheman H, Biodiesel production from jatropha oil (*Jatropha curcas*) with high free fatty acids: an optimized process, *Biomass Bioenergy*, (2007); **31**:569.
- Turnbull, J. W., Seed collection – sampling consideration and collection tech. In report of

Bibliography

- FAO/DANIDA training course of forest seed collection on handling held in Chiang Mai, Thailand, Feb/March, FAO/TF/RAS-11(DEN), FAO, Rome, 1975.
- Van der Linden, CG, Wouters DCAE, Mihalka V, Kochieva EZ, Smulders MJM, Vosman B; Efficient targeting of plant disease resistance loci using NBS profiling. *Theoretical and Applied Genetics* (2004); **109**:384-393.
- Vischi, M., Raranciu, S. and Baldini, M., Evaluation of genetic diversity between toxic and non-toxic *Jatropha curcas* L. accessions using a set of simple sequence repeat (SSR) markers. *African Journal of Biotechnology*, (2013); **12**:265-274.
- Waled, A. A. and Jumat S., Phorbol ester as toxic constituents of tropical *Jatropha curcas* seed oil. *Eu. J. Sci. Res.* (2009); **31**:429-436.

Winrock International India; Risks and opportunities for Biofuels in Developing countries. The Case for India. 36th discussion forum “LCA of future biofuels” ; 17 november, 2008. Empa. Dübendorf: Switzerland; Available at: www.empa.ch/plugin/template/empa/*/77131.