

## **LIST OF FIGURES**

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
<b>1.1</b>	Shares of energy sources in world primary energy demand	<b>1</b>
<b>3.1</b>	Schematic representation of a typical plant $\beta$ -tubulin genomic locus	<b>26</b>
<b>4.1</b>	Graph representing the variation of height among the 24 <i>J. curcas</i> accessions in three years study	<b>32</b>
<b>4.2</b>	Graph representing the variation of primary branch no. among the 24 <i>J. curcas</i> accessions in three years study	<b>32</b>
<b>4.3</b>	Graph presenting year wise total no. of inflorescences per accession for 24 <i>J. curcas</i> accessions studied	<b>34</b>
<b>4.4</b>	Year wise presentation for total number of female flowers per accession of 24 <i>J. curcas</i> accessions studied	<b>34</b>
<b>4.5</b>	<b>A.</b> Average photosynthetic rate per accession <b>B.</b> Average stomatal conduction rate per accession <b>C.</b> Average transpiration rate per accession	<b>38</b>
<b>4.6</b>	Graph showing the variation in oil % and its constituents according to the data collected in third year for all the 24 <i>J. curcas</i> accessions studied	<b>42</b>
<b>4.7</b>	General formula and structure of tocopherols	<b>43</b>
<b>4.8</b>	Tocopherol isomers separation analysis on HPLC	<b>43</b>
<b>4.9</b>	General chemical structure of phorbol ester.	<b>44</b>

---

<b>4.10</b>	Comparison of HPLC phorbol esters separation obtained by Makkar <i>et al.</i> , 2009 (left panel) and with Kinetex column used in this work (right panel).	<b>44</b>
<b>4.11</b>	Fatty acid analysis on HPLC-ELS detector, standard chromatogram (top) and Typical fatty acid chromatogram for jatropha oil (bottom)	<b>46</b>