2023/06

SET

Full Marks: 75

Marks: 20

 $1 \times 20 = 20$

B. PHARM. FOURTH SEMESTER PHARMACOLOGY I BP404T [REPEAT]

[USE OMR SHEET FOR OBJECTIVE PART]

Duration: 3 hrs.

(PART-A: Objective)

Time: 30 min.

Choose the correct answer from the following:

- Atropine causes
 - a. Miosis c. Both

- b. Mydrasis
- d. None
- used as mood stabilizing agent.
 - a. Lithium

b. Pshysostigmine

c. Pilocarpine

- d. None of these
- 3. Which is following cholinomimetics is indirectly acting
 - a. Edrophonium

b. Acetylecholine

c. Mivacurium

- d. None
- Which of the following analgesics bind to the opoid receptor
 - a. Morphine

b. Acetaminophen

c. Ibuprofen

- d. none
- Pharmacokinetic is the study of
 - a. Drug action on body
- b. Body response to the drug

c. Both of them

- d. None of them
- Drug is given by intravenous route is called
 - a. Oral c. Topical

b. Parenteral d. Local

- A receptor is
- a. Genetic materials
- b. Micromolecule
- c. Macromolecule
- d. none
- Nervous system involve in the fight or flight response is
 - a. Sympathetic nervous system
- b. Parasympathetic nervous system

- c. Both
 - d. None
- Cholinesterase responsible for a. Breakdown of acetylecholine
- b. Synthesis of acetylecholine
- c. Transmission of acetylecholine
- d. All of the above

10.	In major surgery which anaesthetic will be preferred			
	a. Local	b.	General	
	c. Analgesics drugs	d.	None	
11.	Agent which cause calmness 'without inducing sleep'			
	a. Anti-anxiety		Hypnotics	
	c. Sedatives	d.	None of the above	
12.	2. Drug which is used in the treatment of Alcohol abuse			
	a. Disulfiram	b.	Nicotine	
	c. Charcoal	d.	All of the above	
13.	Stage of delirilium is aof general anaesthesia			
	a. 1st stage	b.	2 nd stage	
	c. 3 rd stage	d.	4 th stage	
14.	Preanaesthetic medications are administered			
	 Before general anaesthesia 	b.	After general anaesthesia	
	c. Both	d.	None	
15.	If a dose of drug which was enough earlier but now it is not producing the same			
	effect as it was used to produce. This condition is called as			
	a. Teratogenicity	b.	Drug Dependence	
	c. Drug abuse	d.	Drug Tolerance	
16.	Ketamine inhibit the action of			
	a. GABA receptor	b.	Glycine receptor	
	c. NMDA receptor	d.	None	
17.	Agent which inhibit the sensation of pain is	cal	led	
	a. Analgesics	b.	Antipyretic	
	c. Anti manic	d.	None of the above	
18.	Indicate the long acting neuromuscular blocking agents.			
	a. Rapacuronium	b.	Mivacurium	
	c. d-tubocurarine	d.	none	
19.	Depression and mania together called			
	a. Bipolar disorder	b.	Anxiety	
	c. Alzeimer's disease		none	
20.	Phase 04 clinical trial is known as			
	a. Micro dosing phase	b.	Therapeutic exploration phase	
	c. Post marketing Surveillance phase		Human pharmacology and safety	
			phase	
			I receive a	

[2]

PART-B: Descriptive

Time: 2 hrs. 30 min.

[Answer any seven (7) questions]

1. Write about the various routes of administration of drugs.

5

Define local anaesthesia. Classify local anaesthetic agents. Mechanism of local anaesthetic drugs.
 What are opoid analgesics? Classify the drugs. Discuss about Morphine.
 Classify parasympathomimetic drugs. Write the pharmacological actions for the same.

5. Discuss about drug abuse and drug tolerance. 2.5+2.5 =5

6. Define pharmacology and discuss in short about pharmacokinetics 1+2+2 and pharmacodynamics.

7. Classify antiepileptic drugs. Write the pharmacology of phenytoin. 2.5+2.5 =5

8. Write a short note on adverse drug reactions.

9. Define general anaesthesia. Classify the general anaesthetic 2+2+1 medications. Pharmacological action on CNS.

(PART-C: Long type questions)

[Answer any two (2) questions]

1.	Discuss in detail about neurohumoral transmission.	
2.	Explain about the GPCR and JAK-STAT signalling pathway.	5+5=1
3.	What is depression? Classify the antidepressant drugs. Write the pharmacology of any one antidepressant drug.	2+4+