SET

В

FIRST SEMESTER BIOSTATISTICS AND RESEARCH METHODOLOGY

M.Sc. ZOOLOGY

MSZ-101 [USE OMR SHEET FOR OBJECTIVE PART]

Duration: 3 hrs.

Full Marks: 70

Objective)

Time: 30 mins.

Marks: 20

Choose the correct answer from the following:

 $1 \times 20 = 20$

- In natural sciences and social sciences, quantitative research is based on the aspect of:
 - a. Quantity or extent
 - c. Quality, Quantity and extent
- 2. Research design is a.....
 - a. Blueprint of a scientific study
 - c. Diagram of scientific study
- 3. A dependent variable is a variable that is:
 - a. Tested in an experiment
 - c. Both a and b
- 4. Descriptive design is a.....
 - a. Theory-based research method
 - c. Merit based method
- 5. Copyright covers:
 - a. Photographs
 - c. Sound Recording

- b. Quality or extent
- d. All of the above
- b. Map of scientific study
- d. None of the above
- b. Not tested in an experiment
- d. None of the above
- b. Practical based method
- d. None of the above
- b. Original literary works
- d. All of the above
- 6. Snowball sampling comes under the category of:
 - a. Random sampling
 - c. Quota sampling

- b. Probability sampling
- d. Non probability sampling
- 7. The sample data for a chi-square test are called:
 - a. Observed proportions
 - c. Expected proportions
- 8. ANOVA is used to compare:
 - a. Three or more sample means from independent groups
 - Three or more sample means from dependent groups
- 9. The student's t-test is typically used:
 - a. In comparing two groups to see if their means differ
 - c. In testing the stationarity of a time series

- b. Observed frequenciesd. Expected frequencies
- b. Two sample means from independent
- Two sample means from dependent groups
- In comparing multiple groups to see if their means differ
- d. In testing the goodness of fit of a model

USTM/COE/R-01

1

a. Data b. Set c. Distribution d. Population 1. What is the full form of IAEC? a. International Animals Ethics b. Interim Animals Ethics Committee Committee c. Intern Animals Ethics Committee d. None of the above 2. For registration under IPR, an invention must meet the criteria of: a. Novelty b. Non-obviousness d. All of the above 2. For registration under IPR, an invention must meet the criteria of: a. Novelty b. Non-obviousness d. All of the above 3. The term "bioethics" was coined by: a. Fritez Jahr b. Fritez Jahr c. Fritz Jahr d. None of these 4. Who approves the research proposal at the university level where large animals will be used in experiment? a. University administrative authority b. IAEC d. All of these 5. Which one of the following is the correct name? a. Prevention of Cruelty to Animal Act, 1961 d. None of the above 5. Which one of (Cruelty to Animal) Act, 1961 d. None of the above 6. The value which occurs most frequently, is the: a. The Median b. Mode d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode= 3Median - 2Mean b. Mode= 2Mean - 3 Median d. Median= 2Mean - 3 Mode 8. The crediticient of quartile deviation is given by the formula: a. Qvf_Q, Q, Q			
a. International Animals Ethics Committee Committee C. Intern Animals Ethics Committee d. None of the above 2. For registration under IPR, an invention must meet the criteria of: a. Novelty b. Non-obviousness d. All of the above 3. The term "bioethics" was coined by: a. Friticz Jahar b. Fritez Jahr c. Fritz Jahr d. None of these 4. Who approves the research proposal at the university level where large animals will be used in experiment? a. University administrative authority b. IAEC c. CPCSEA d. All of these 5. Which one of the following is the correct name? a. Prevention of Cruelty to Animal Act, 1961 c. Prevention of (Cruelty to Animal) Act, 1961 c. Prevention of (Cruelty to Animal) Act, 1960 6. The value which occurs most frequently, is the: a. The Median b. Mode c. Rampe d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode= 3Median - 2Mean b. Mode= 2Mean - 3 Median c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qu-Q1 Q1 Q2 Q1 Q3 Q1 Q4 Q4 Q4 Q5 Q5 Q5 Q5 Q5 Q5 Q6 Q5 Q6		a. Data b	1
a. Novelty c. Industrial application d. All of the above 3. The term "bioethics" was coined by: a. Fritize Jahar c. Fritz Jahr d. None of these 4. Who approves the research proposal at the university level where large animals will be used in experiment? a. University administrative authority c. CPCSEA d. All of these 5. Which one of the following is the correct name? a. Prevention of Cruelty to Animal Act, 1961 c. Prevention of (Cruelty to Animal) Act, 1960 c. Prevention of (Cruelty to Animal) Act, 1960 c. The value which occurs most frequently, is the: a. The Median c. Range d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode= 3Median - 2Mean c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Median c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qv+Q1 QvQ1 QvQ1 QvQ1 QvQ1 QvQ1 QvQ1 QvQ1		a. International Animals Ethics b Committee	1
a. Fritiez Jahr c. Fritz Jahr d. None of these 4. Who approves the research proposal at the university level where large animals will be used in experiment? a. University administrative authority c. CPCSEA d. All of these 5. Which one of the following is the correct name? a. Prevention of Cruelty to Animal Act, 1961 c. Prevention of (Cruelty to Animal) Act, 1960 6. The value which occurs most frequently, is the: a. The Median c. Range d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode=3Median - 2Mean c. Median=3Mode - 2Mean d. Median=2Mean - 3 Median c. Median=3Mode - 2Mean d. Median=2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qv+Q1 Qv-Q1	b. Non-obviousness	a. Novelty b	1
used in experiment? a. University administrative authority c. CPCSEA d. All of these 5. Which one of the following is the correct name? a. Prevention of Cruelty to Animal Act, 1961 c. Prevention of (Cruelty to Animal) Act, 1960 6. The value which occurs most frequently, is the: a. The Median c. Range d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode= 3Median - 2Mean c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Median c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qv+Q1 Q1 Q2 Q1 Q2 Q1 c. Q2+Q1 Q3 Q1 c. Q3+Q1 Q3 Q1 d. Q3-Q1 Q3 Q1 e. Q4+Q1 Q3 Q1 d. Q3-Q1 Q3 Q1 e. Q4-Q1 Q4 Q3 Q1 e. Q4-Q1 Q4 Q4 Q4 Q5 Q4 Q5 Q4 Q6 Q4 Q6 Q6 Q6 e. Mean deviation		a. Fritiez Jahar b	1
a. Prevention of Cruelty to Animal Act, 1961 c. Prevention of (Cruelty to Animal) Act, 1960 6. The value which occurs most frequently, is the: a. The Median c. Range d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode= 3Median - 2Mean c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Median c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qv+Q1 QvQ1 c. Qv+Q1 QvQ1 qv-Q1 qv-Q1 d. Qv-Q1 qv-Q1 qv-Q1 d. Qv-Q1 q	b. IAEC	used in experiment? a. University administrative authority b	1
6. The value which occurs most frequently, is the: a. The Median c. Range d. None of the above 7. The relationship between mean, median and mode is given by: a. Mode= 3Median - 2Mean b. Mode= 2Mean - 3 Median c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qv+Q1 Qv-Q1 c. Qv+Q1 Qv-Q1 d. Qv-Q1 c. Qv+Q1 Qv-Q1 d. Qv-Q1 Q	b. The Prevention of Cruelty to Animal Act, 1961	 a. Prevention of Cruelty to Animal Act, 1961 c. Prevention of (Cruelty to Animal) Act, d 	1
a. Mode= 3Median - 2Mean c. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Median e. Median= 3Mode - 2Mean d. Median= 2Mean - 3 Mode 8. The coefficient of quartile deviation is given by the formula: a. Qv+Q1 QvQ1 c. Qv+Q1 QvQ1 d. Qv-Q1 e. Qv-Q1 Qv-Q1 e. Qv-Q1 d. Qv-Q1 Qv-Q1 e. Qv-Q1 d. Qv-Q1 Qv-Q1 e. Qv-Q1 e. Qv-Q1 d. Qv-Q1 e. Q	b. Mode	The value which occurs most frequently, is the a. The Median b	1
8. The coefficient of quartile deviation is given by the formula: a. $Q_1 + Q_1$ $Q_2 + Q_1$ b. $Q_3 - Q_1$ $Q_4 - Q_1$ c. $Q_4 + Q_1$ $Q_4 - Q_1$ d. $Q_3 - Q_1$ 9	b. Mode= 2Mean - 3 Median	a. Mode= 3Median - 2Mean	1
9is also known as root mean square deviation. a. Quartile deviation b. Standard deviation c. Mean deviation d. Range 20. Which one of the following is not an average deviation measures of dispersion? a. Quartile deviation b. Mean deviation	en by the formula: b. Q ₁ -Q ₁ Q-Q ₁ d. Q ₁ -Q ₁	The coefficient of quartile deviation is given by a. $Q_1 + Q_1$ $Q_2 + Q_3$ c. $Q_3 + Q_4$	1
20. Which one of the following is not an average deviation measures of dispersion? a. Quartile deviation b. Mean deviation	b. Standard deviation	a. Quartile deviation	1
	ge deviation measures of dispersion? b. Mean deviation	Which one of the following is not an average a. Quartile deviation	2
	USTM/COE/R-01	2	

Descriptive

Time: 2 hr. 30 mins. Marks: 50

[Answer question no.1 & any four (4) from the rest]

1.	What is IPR? Write a note on the different aspects of IPR.	2+8=10
2.	Write short notes on the following:	5+5=10
	A CROCCE A	

a) CPCSEA

b) IAEC

3. In an experiment on pea-breeding, Mendel obtained the following frequencies of seed, 310 round and yellow, 100 wrinkled and yellow, 104 round and green, 30 wrinkled and green in total of 544. Theory predicts that the frequencies should be in the proportion 9:3:3:1 respectively. Set up proper hypothesis and test it at 5% level of significance.

10

What is sampling? Explain about different types of sampling techniques.

2+8=10

5. Elucidate in detail about various forms of research and its types.

Or

What do you understand by copyright violation? Discuss some aspects of Copyright violation with suitable examples of case studies.

6. Explain the concept of Research Design. What are the principles of a sound research design? Discuss some important types of research design. Also mention different parts, need and features of a sound research design.

10

10

Or

In the light of modern concept discuss Plagiarism with suitable examples.

7. i) Find the mode of the following data.

5+5=10

Class	5 - 14	15 -	25 - 34	35 - 44	45 - 54	55 - 64
interval		24				
Frequency	6	11	21	23	14	5

ii) Find the missing frequency x and y in the following frequency distribution table if the total frequency is 100 (i.e. N= 100) and Median is 32.

Class interval	0 - 10	10 -20	20 - 30	30 -40	40 -50	50 -60
Frequency	10	х	25	30	У	10

8. i) Calculate mean deviation from mean values of the following data.

Class interval	0 - 4	4 - 8	8 - 12	12 - 16	16 - 20
Frequency	4	6	8	5	2

ii) Calculate the Standard deviation from the following data.

Class interval	0 -10	10 -20	20 -30	30 -40	40 -50	50 -60	60-70	70-80
Frequency	5	10	20	40	30	20	10	4

== *** = =

4

5+5=10